

4-Blade Cutter (hardened steel)

<https://ehle-hd.com/en/product/4-blade-cutter-hardened-steel/>










The **4-blade Cutter** can be used practically universally. In contrast to the simple cross blade drills, this one has hardened spring steel blades. This allows even heavier blockages to be drilled out. It is particularly suitable for light to harder incrustations, sludge deposits, sand and other hardened deposits. It is especially suitable as a urine stone cutter!









In addition, the blades are connected to the couplings by rivets. Deformations or fractures, as they can occur with soldered or welded-in cross blades, are excluded with our riveted tools.

Features

- Use with light to hard deposits, incrustation, kitchen waste, sludge, urine stone
- durable and robust tool made of hardened spring steel
- Steel riveting prevents fractures

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216095	4-Blade Cutter 25/16	cable typ: 16 mm work range: 38 - 50 mm	25 × 25 × 35 mm 0.04
	14216096	4-Blade Cutter 35/16	cable typ: 16 mm work range: 50 - 75 mm	35 × 35 × 45 mm 0.06
	14216097	4-Blade Cutter 45/16	cable typ: 16 mm work range: 60 - 100 mm	45 × 45 × 55 mm 0.08
	14216098	4-Blade Cutter 55/16	cable typ: 16 mm work range: 75 - 125 mm	65 × 55 × 55 mm 0.10
	14222180	4-Blade Cutter 35/22	cable typ: 22 mm work range: 50 - 100 mm	45 × 35 × 35 mm 0.10
	14222181	4-Blade Cutter 45/22	cable typ: 22 mm work range: 60 - 100 mm	65 × 45 × 45 mm 0.12
	14222182	4-Blade Cutter 55/22	cable typ: 22 mm work range: 65 - 125 mm	75 × 55 × 55 mm 0.15

	14222183	4-Blade Cutter 65/22	 cable typ: 22 mm work range: 75 - 125 mm	85 × 65 × 65 mm 0.32
	14222184	4-Blade Cutter 80/22	 cable typ: 22 mm work range: 100 - 150 mm	100 × 80 × 80 mm 0.36
	14222185	4-Blade Cutter 90/22	 cable typ: 22 mm work range: 125 - 170 mm	110 × 90 × 90 mm 0.5
	14222186	4-Blade Cutter 115/22	 cable typ: 22 mm work range: 150 - 250 mm	115 × 115 × 115 mm 0.6
	14232170	4-Blade Cutter 35/32	 cable typ: 32 mm work range: 50 - 100 mm	45 × 35 × 35 mm 0.12
	14232171	4-Blade Cutter 45/32	 cable typ: 32 mm work range: 75 - 100 mm	65 × 45 × 45 mm 0.14
	14232172	4-Blade Cutter 55/32	 cable typ: 32 mm work range: 75 - 125 mm	75 × 55 × 55 mm 0.17
	14232173	4-Blade Cutter 65/32	 cable typ: 32 mm work range: 100 - 150 mm	85 × 65 × 65 mm 0.36




14232174

4-Blade Cutter 80/32

cablE typ: 32 mm
work range: 100 - 170 mm

100 × 80 × 80 mm
0.38



14232175

4-Blade Cutter 90/32

cablE typ: 32 mm
work range: 125 - 200 mm

110 × 90 × 90 mm
0.52



14232176

4-Blade Cutter 115/32

cablE typ: 32 mm
work range: 150 - 250 mm

115 × 115 × 115 mm
0.58