

bendy packers

<https://ehle-hd.com/en/product/bends-packers/>



The **bendy packers** of special rubber with embedded fabric facilitate the repair of the pipe, since the material does not kink and extends to its maximum in bends.

Further, the slide properties of the bend packer are ideal, it even passes multiple bends to reach the spot to be repaired.

Features

- to repair bends in pipes and sewers
- suitable for all pipe materials, may be combined with all conventional ECR glass fiber mats
- bend packer of quality rubber with embedded fabrics and low diameter, does not kink and ensures optimum extension at the pipe wall
- temperature range between -20°C and +80°C
- ISO 9001 TÜV certified

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	2005100	bend packer 50-70 / 1.0	work range: 50 - 70 mm length: 1,000 mm operating pressure: 2 bar (29 psi)	1110 × 35 × 35 mm 0.65
	2005101	bend packer 50-70 / 1.5	work range: 50 - 70 mm length: 1,500 mm operating pressure: 2 bar (29 psi)	1620 × 35 × 35 mm 0.85
	2005102	bend packer 70-100 / 1.0	work range: 70 - 100 mm length: 1,000 mm operating pressure: 2 bar (29 psi)	1110 × 45 × 45 mm 0.70
	2005103	bend packer 70-100 / 1.5	work range: 70 - 100 mm length: 1,500 mm operating pressure: 2 bar (29 psi)	1620 × 35 × 35 mm 0.80
	2005104	bend packer 80-110 / 1.0	work range: 80 - 110 mm length: 1,000 mm operating pressure: 2 bar (29 psi)	1110 × 58 × 58 mm 1.10
	2005105	bend packer 80-110 / 1.5	work range: 80 - 110 mm length: 1,500 mm operating pressure: 2 bar (29 psi)	1620 × 58 × 58 mm 1.20
	2005106	bend packer 100-130 / 1.0	work range: 100 - 130 mm length: 1,000 mm operating pressure: 2 bar (29 psi)	1110 × 63 × 63 mm 1.40

	2005107	bend packer 100-130 / 1.5	work range: 100 - 130 mm length: 1.500 mm operating pressure: 2 bar (29 psi)	1620 x 63 x 63 mm 1.70
	2005108	bend packer 120-150 / 1.0	work range: 120 - 150 mm length: 1.000 mm operating pressure: 2 bar (29 psi)	1110 x 68 x 68 mm 2.40
	2005109	bend packer 120-150 / 1.5	work range: 120 - 150 mm length: 1.500 mm operating pressure: 2 bar (29 psi)	1620 x 68 x 68 mm 2.70
	2005110	bend packer 140-200 / 1.0	work range: 140 - 200 mm length: 1.000 mm operating pressure: 2 bar (29 psi)	1110 x 86 x 86 mm 3.30
	2005111	bend packer 140-200 / 1.5	work range: 140 - 200 mm length: 1.500 mm operating pressure: 2 bar (29 psi)	1620 x 86 x 86 mm 4.00
	2005112	bend packer 180-250 / 1.0	work range: 180 - 250 mm length: 1.000 mm operating pressure: 2 bar (29 psi)	1110 x 107 x 107 mm 5.00
	2005113	bend packer 180-250 / 1.5	work range: 180 - 250 mm length: 1.500 mm operating pressure: 2 bar (29 psi)	1620 x 107 x 107 mm 6.00