

carbide chain knocker

<https://ehle-hd.com/en/product/carbide-chain-knocker/>



The **chain knocker with solid carbide inserts** brazed on the chain link is used especially for the removal of roots and hard incrustations.








The carbide inserts are extremely hard and abrasion-resistant. This results in excellent pipe cleaning results and significantly less wear compared to standard spiked chains.

On request we also offer the chain knockers with T-coupling female / male.

Features

- especially for roots and hard incrustations
- hardened chains with solid carbide inserts
- extremely abrasion-resistant and low wear
- chain knockers with 1 or 2 chains are particularly suitable for bends

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216309	Chain knocker KS16 - 1 carbide chain	cable typ: 16 mm work range: 50 - 70 mm	150 × 65 × 16 mm 0.2
	14216310	Chain knocker KS16 - 2 carbide chains	cable typ: 16 mm work range: 50 - 100 mm	150 × 130 × 16 mm 0.3
	14216311	Chain knocker KS16 - 3 carbide chains	cable typ: 16 mm work range: 70 - 125 mm	150 × 130 × 25 mm 0.35
	14216312	Chain knocker KS16 - 4 carbide chains	cable typ: 16 mm work range: 70 - 150 mm	150 × 130 × 30 mm 0.40
	14222449	Chain knocker KS22 - 1 carbide chain	cable typ: 22 mm work range: 70 - 100 mm	225 × 120 × 22 mm 0.50
	14222450	Chain knocker KS22 - 2 carbide chains	cable typ: 22 mm work range: 70 - 125 mm	225 × 230 × 22 mm 0.76
	14222451	Chain knocker KS22 - 3 carbide chains	cable typ: 22 mm work range: 100 - 150 mm	225 × 230 × 40 mm 0.95



14222452

Chain knocker KS22 - 4 carbide chains

cable typ: 22 mm
work range: 100 - 200 mm

225 × 230 × 60 mm
1.20



14232629

Chain knocker KS32 - 1 carbide chain

cable typ: 32 mm
work range: 75 - 125 mm

190 × 120 × 32 mm
0.70



14232630

Chain knocker KS32 - 2 carbide chains

cable typ: 32 mm
work range: 75 - 150 mm

190 × 220 × 32 mm
1.00



14232631

Chain knocker KS32 - 3 carbide chains

cable typ: 32 mm
work range: 100 - 200 mm

190 × 220 × 53 mm
1.20



14232632

Chain knocker KS32 - 4 carbide chains

cable typ: 32 mm
work range: 100 - 250 mm

190 × 220 × 65 mm
1.40