

## Combined chain knocker

<https://ehle-hd.com/en/product/combined-chain-knocker/>



A **combination chain knocker** may be combined with any other tools, to adapt your tool combination to the actual situation. For example, combine the combination chain knocker with a 4-blade cutter, so you can open root blockages and remove the roots up to the tube wall in a single operation.

### Features

- T-coupling female / male connector for tool combinations

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216167	Combined chain knocker KS16 - 2 smooth chains	<b>cable typ:</b> 16 mm <b>connection:</b> male / female <b>work range:</b> 50 - 100 mm	N/A 0.175
	14216168	Combined chain knocker KS16 - 3 smooth chains	<b>cable typ:</b> 16 mm <b>connection:</b> male / female <b>work range:</b> 70 - 125 mm	N/A 0.200
	14216138	Combined chain knocker KS16 - 2 spiked chains	<b>cable typ:</b> 16 mm <b>connection:</b> male / female <b>work range:</b> 50 - 100 mm	N/A 0.175
	14216139	Combined chain knocker KS16 - 3 spiked chains	<b>cable typ:</b> 16 mm <b>connection:</b> male / female <b>work range:</b> 70 - 125 mm	N/A 0.200
	14222238	Combined chain knocker KS22 - 2 smooth chains	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> 70 - 125 mm	N/A 0.350
	14222239	Combined chain knocker KS22 - 3 smooth chains	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> 100 - 150 mm	N/A 0.400
	14222215	Combined chain knocker KS22 - 3 spiked chains	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> 70 - 125 mm	N/A 0.350

	14222216	Combined chain knocker KS22 - 3 spiked chains	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> 100 - 150 mm	N/A 0.400
	14232225	Combined chain knocker KS32 - 2 smooth chains	<b>cable typ:</b> 32 mm <b>connection:</b> male / female <b>work range:</b> 75 - 125 mm	N/A 0.550
	14232226	Combined chain knocker KS32 - 3 smooth chains	<b>cable typ:</b> 32 mm <b>connection:</b> male / female <b>work range:</b> 100 - 150 mm	N/A 0.600
	14232210	Combined chain knocker KS32 - 2 spiked chains	<b>cable typ:</b> 32 mm <b>connection:</b> male / female <b>work range:</b> 75 - 125 mm	N/A 0.550
	14232211	Combined chain knocker KS32 - 3 spiked chains	<b>cable typ:</b> 32 mm <b>connection:</b> male / female <b>work range:</b> 100 - 150 mm	N/A 0.600