

Grease Cutter

<https://ehle-hd.com/en/product/grease-cutter/>










The **grease cutter** is an extremely tough C-Cutter with the 2 rugged blades made of tempered spring steel. It was designed for the removal of difficult grease and sludge blockages. It is used with 16 and 22 mm cables.

Features

- extremely robust made of hardened spring steel
- for the removal of difficult grease and sludge blockages

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216082	greace cutter 25/16	cable typ: 16 mm work range: 38 - 50 mm	40 × 25 × 20 mm 0.02
	14216083	greace cutter 35/16	cable typ: 16 mm work range: 50 - 75 mm	50 × 35 × 20 mm 0.03
	14216084	greace cutter 40/16	cable typ: 16 mm work range: 60 - 100 mm	60 × 40 × 20 mm 0.04
	14216085	greace cutter 45/16	cable typ: 16 mm work range: 60 - 100 mm	65 × 45 × 20 mm 0.04
	14216086	greace cutter 50/16	cable typ: 16 mm work range: 75 - 125 mm	70 × 50 × 20 mm 0.05
	14222165	greace cutter 40/22	cable typ: 22 mm work range: 60 - 100 mm	60 × 40 × 22 mm 0.05
	14222166	greace cutter 50/22	cable typ: 22 mm work range: 65 - 125 mm	70 × 50 × 22 mm 0.06

14222167

greace cutter 65/22

cable typ: 22 mm
work range: 75 - 125 mm

80 × 65 × 22 mm
0.08

