

## Jetcam 40 - truck version

<https://ehle-hd.com/en/product/jetcam-40-truck-version/>



The **truck version** of the Jetcam 40 is mounted directly on your high-pressure flushing vehicle - Plug'n'Play: Slipringless, can be mounted directly on the existing reel, hose, control box and battery on it and off you go! Cleaning, inspection, bending and documentation in one operation.

The new electronics offers the option to work with 80 - 120 m 1/2" hose and thus further increase the application possibilities of the system. Especially the possibility to turn from the main to the side channel and to clean, inspect and document there makes the truck version very interesting. If the pump is powerful enough, even larger pipes (DN 500 and more) can be "flown through".

The control box transmits the image directly to your tablet via Wifi. All functions such as, light regulation, location, meter counter, data recording and recording, battery status display and of course the corresponding software are included in the system.

The cleaning nozzle can be equipped with 6 to 11 nozzle inserts, as well as an additional rotary nozzle.

### Features

- Pipes from DN 70 - DN 300
- house connection pipes and main pipes
- Branches from the main channel to the side channel
- Preparation for inspection, damage repair and leak test
- direct control of the cleaning success and control of the damage repair
- hard-to-reach areas
- is easy to use
- Foldable and rollable, it can be taken wherever it is needed.

### Complete set consists of:

- Camera head
- Steering piece (with steering nozzle and cleaning nozzle)

page 1



- Hose 1/2 80 - 120 m, electronically assembled
- control box
- Battery (optionally chargeable over the hose)
- No tablet included!




## Requirements for your dishwasher:

- HD pump with at least 120 bar, 60 l / min.
- Fresh water (fresh water in the recycler)

## Optional:

- tablet
- data entry
- location
- wifi
- pre-spray nozzle
- rotary nozzle
- vibration impact nozzle

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	S7000307	Jetcam 40 truck version - 80 m	<b>HP-hose:</b> 1/2 with 80 m length <b>work range:</b> from 70 - 300 mm <b>45° bends:</b> from 70 mm <b>90° bends:</b> from 100 mm <b>type:</b> complete set <b>connection:</b> 1/2" female thread	600 × 600 × 800 mm 65,0
	S7000308	Jetcam 40 truck version - 100 m	<b>HP-hose:</b> 1/2 with 100 m length <b>work range:</b> from 70 - 300 mm <b>45° bends:</b> from 70 mm <b>90° bends:</b> from 100 mm <b>type:</b> complete set <b>connection:</b> 1/2" female thread	600 × 600 × 800 mm 72,0
	S7000308-120	Jetcam 40 truck version - 120 m	<b>HP-hose:</b> 1/2" with 120 m length <b>work range:</b> from 70 - 300 mm <b>45° bends:</b> from 70 mm <b>90° bends:</b> from 100 mm <b>type:</b> complete set <b>connection:</b> 1/2" female thread	600 × 600 × 800 mm 79,0