

# K9-204 FlexShaft drain cleaning machine

<https://ehle-hd.com/en/product/kg-204-flexshaft-drain-cleaning-machine/>



The new FlexShaft drums are compact and highly efficient machines that offer complete high-speed pipe cleaning from 50 - 100 mm (2" to 4"). FlexShaft can also be operated when an inspection camera is located in the pipe so that the inside of the pipe can continue to be inspected during cleaning.

## Features

- Applications: House drains & laterals
- Type of blockage: Build ups, grease, & roots
- The chain centrifuges expand for complete pipe cleaning
- With FlexShaft drums, you can leave your inspection camera in the pipeline during application
- Quick set-up and packing, quick cleaning and wireless, convenient operation provide additional time savings
- A comprehensive range of chain centrifuges and accessories is available
- The unit is driven by a cordless screwdriver with slip clutch (not included in delivery)








## Technical data:

- Pipe diameter: from 50 - 100 mm (2" - 4")
- Cable length: 21.3 m (70")
- Cable diameter (without sheathing): 8 mm
- Cable diameter (with sheathing): 12.7 mm
- Speed: min rpm RPM - max. 2500 rpm
- Drill connection: 5/16" Hex (8mm)
- weight: 20.1 kg
- Operating temperature: -6°C to 60°C

## **K9-204 Complete set consisting of:**

- FlexShaft drum including 21.3 m cable
- Chain spinner with 2 smooth chain
- Chain centrifuge with 3 smooth chains
- FlexShaft Oil (120 ml)
- PVC Attachments
- Tool and tool bag

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	R64278	K9-204 FlexShaft - pipe cleaning machine kit	<b>work range:</b> 50 - 100 mm <b>length:</b> 21 m <b>flex shaft cable typ:</b> 8 mm	536 × 274 × 615 mm 20.1
	R64308	FlexShaft chain knocker (8 mm / 2') - 2 chains with carbide tips	<b>work range:</b> 50 mm <b>construction:</b> double chains	140 × 40 × 40 mm 0.20
	R64313	FlexShaft chain knocker (8 mm / 3') - 3 chains with carbide tips	<b>work range:</b> 75 mm <b>construction:</b> triple chains	140 × 40 × 40 mm 0.25
	R64318	FlexShaft chain knocker (8 mm / 4') - 3 chains with carbide tips	<b>work range:</b> 100 mm <b>construction:</b> triple chains	140 × 40 × 40 mm 0.30
	R64323	FlexShaft chain knocker (8 mm / 2') - 2 chains	<b>work range:</b> 50 mm <b>construction:</b> double chains	140 × 40 × 40 mm 0.20
	R64328	FlexShaft chain knocker (8 mm / 3') - 3 chains	<b>work range:</b> 75 mm <b>construction:</b> triple chains	140 × 40 × 40 mm 0.25
	R64333	FlexShaft chain knocker (8 mm / 4') - 3 chains	<b>work range:</b> 100 mm <b>construction:</b> triple chains	140 × 40 × 40 mm 0.30



R64338

FlexShaft Lubricant

**content:** 8oz (238 ml)

50 × 50 × 150 mm  
0.36