

Picote Cyclone standard - carbide chains

<https://ehle-hd.com/en/product/picote-cyclone-standard-carbide-chains/>



Picote Cyclone Standard chains with star carbide tips (3-edges) are ideal for final cleaning, as they are precisely adapted to the inner pipe diameter and thus restore the pipe to its original condition.

Cyclone chains remain centered in the pipe through the use of centrifugal force. No adjustment is necessary; the centrifugal force centers the tool in the pipe and offers greater protection for damaged or brittle pipes.


Suitable for stoneware, concrete, and cast iron pipes

Features

- used for high-speed drain cleaning, removing blockages, descaling, and smaller roots
- chains with carbide or hard metal attachments
- suitable for stoneware, concrete, and cast iron pipes

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	P1381084070	Cyclone standard chain 70/8 - carbide chain	shaft typ: 8 mm work range: DN 70	70 × 70 × 30 mm 0.10
	P1381084100	Cyclone standard chain 100/8 - carbide chain	shaft typ: 8 mm work range: DN 100	100 × 100 × 30 mm 0.2
	P1381084125	Cyclone standard chain 125/8 - carbide chain	shaft typ: 8 mm work range: DN 125	125 × 125 × 30 mm 0.25
	P1381084150	Cyclone Standard chain 150/8 - carbide chain	shaft typ: 8 mm work range: DN 150	150 × 150 × 30 mm 0.30
	P1381105070	Cyclone standard chain 70/10 - carbide chain	shaft typ: 10 mm work range: DN 70	70 × 70 × 30 mm 0.10
	P1381105100	Cyclone standard chain 100/10 - carbide chain	shaft typ: 10 mm work range: DN 100	100 × 100 × 30 mm 0.2
	P1381105125	Cyclone standard chain 125/10 - carbide chain	shaft typ: 10 mm work range: DN 125	125 × 125 × 30 mm 0.25

	P1381105150	Cyclone standard chain 150/10 - carbide chain	shaft typ: 10 mm work range: DN 150	150 × 150 × 30 mm 0.30
	P1381125070	Cyclone standard chain 70/12 - carbide chain	shaft typ: 12 mm work range: DN 70	70 × 70 × 30 mm 0.10
	P1381125100	Cyclone standard chain 100/12 - carbide chain	shaft typ: 12 mm work range: DN 100	100 × 100 × 30 mm 0.20
	P1381125125	Cyclone standard chain 125/12 - carbide chain	shaft typ: 12 mm work range: DN 125	125 × 125 × 30 mm 0.25
	P1381125150	Cyclone standard chain 150/12 - carbide chain	shaft typ: 12 mm work range: DN 150	150 × 150 × 30 mm 0.30
	P1381125200	Cyclone standard chain 200/12 - carbide chain	shaft typ: 12 mm work range: DN 200	200 × 200 × 30 mm 0.40
	P1381125225	Cyclone standard chain 225/12 - carbide chain	shaft typ: 12 mm work range: DN 225	225 × 225 × 30 mm 0.45
	P1381125250	Cyclone standard chain 250/12 - carbide chain	shaft typ: 12 mm work range: DN 250	250 × 250 × 30 mm 0.50