

Picote Mini Cleaner

<https://ehle-hd.com/en/product/picote-mini-cleaner/>



The **Mini Cleaner machines** have been specially developed for cleaning, descaling, root removal, milling and coating in small pipe diameters from DN32 - 75 mm. The highly flexible shaft allows work in small pipe diameters, even with multiple 90° bends and traps up to DN50.

Features



- Use in pipes from 32 - 75 mm (cleaning, milling and brush coating)
- Infinitely variable speed
- Parallel camera inspection possible
- Reach 16 m, no extension
- Highly flexible shaft casing for passage through traps and multiple bends
- High-speed drain cleaning Unblocking and root removal
- Fast restoration of CIPP connections, even through DN50 traps
- Suitable for Picote Brush Coating™ in combination with Mini Coating Pump
- with foot pedal for comfortable working with 2 hands
- Safety clutch protects the shaft from damage mechanically (Mini Cleaner) / electronically (Battery Mini Cleaner)
- A sturdy frame construction protects the technology and increases the service life
- Universal 8 mm Flexshaft

Technical data:

- **Pipe diameter:** from 32 - 75 mm
- **cable length:** 16 m
- **flexshaft:** 8 mm
- **Rotation speed:** 500 - 2100 min⁻¹ (Mini Cleaner) / 550 - 2200 (Battery Mini Cleaner)
- **Power:** 1200 W
- **Voltage:** 230 V

- **Weight with battery:** 26.5 kg (Mini Cleaner) / 33 kg (Battery Mini Cleaner)

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	P3540000816	Mini Cleaner - 230 V	work range: 32 - 75 mm shaft typ: 8 mm length: 16 m Power: 230 volts brands: Picote	740 × 519 × 404 mm 26,5
	P3540002816	Battery Mini Cleaner - 230 V	work range: 32 - 75 mm shaft typ: 8 mm length: 16 m Power: battery / 230 V brands: Picote	740 × 519 × 404 mm 36,5