


## Ring spiked chain knocker

<https://ehle-hd.com/en/product/ring-chain-knocker-with-spiked-chains/>



The special design of the **ring chain knocker** makes possible to disassemble, adjust, and reassemble as often as required. To do this, you need only a few minutes but no special tools.

This allows chains to be replaced without welding. Of course, the rings severely restrict the ability to run through bends, which is why ring chain knockers are only suitable for long, straight pipes.









All ring chain knockers are equipped with 4 spiked chains. We also deliver the Ring chain knocker with smooth chains at request.

### Features

- easy dismantling and changing of chains possible
- rings restrict bend movement
- suitable for long and straight distances

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14222240	Ring chain knocker 65/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 80 mm	220 × 65 × 65 mm 0.85
	14222241	Ring chain knocker 75/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 100 mm	220 × 75 × 75 mm 0.90
	14222242	Ring chain knocker 90/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 120 mm	220 × 90 × 90 mm 0.95
	14222243	Ring chain knocker 100/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 125 mm	220 × 100 × 100 mm 1.00
	14222244	Ring chain knocker 110/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 140 mm	220 × 110 × 110 mm 1.10
	14222245	Ring chain knocker 125/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 150 mm	220 × 125 × 125 mm 1.25
	14222246	Ring chain knocker 150/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 175 mm	220 × 150 × 150 mm 1.40

	14222247	Ring chain knocker 180/22	<b>cable typ:</b> 22 mm <b>work range:</b> from 200 mm	220 × 180 × 180 mm 1.55
	14232230	Ring chain knocker 65/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 80 mm	220 × 65 × 65 mm 1.10
	14232231	Ring chain knocker 75/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 100 mm	220 × 75 × 75 mm 1.20
	14232232	Ring chain knocker 90/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 120 mm	220 × 90 × 90 mm 1.30
	14232233	Ring chain knocker 100/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 125 mm	220 × 100 × 100 mm 1.40
	14232234	Ring chain knocker 110/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 140 mm	220 × 110 × 110 mm 1.50
	14232235	Ring chain knocker 125/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 150 mm	220 × 125 × 125 mm 1.60
	14232236	Ring chain knocker 150/32	<b>cable typ:</b> 32 mm <b>work range:</b> from 175 mm	220 × 150 × 150 mm 1.80



14232237

Ring chain knocker 180/32

**cablE typ:** 32 mm

**work range:** from 200 mm

220 × 180 × 180 mm  
2.10