

RIS-22 drain cleaning machine

<https://ehle-hd.com/en/product/ris-22-drain-cleaning-machine-2/>



The **RIS 22 drain and sewer cleaner machine** is the result of many years of experience in application and combines a rugged and long-lasting design with a user friendly quick release clamping jaw system.

The unit is designed for use in drains of DN 30 - 200 mm, with a maximum working length of 80 m and suitable for use with 6, 8 and 10 mm cables and adaptor magazine or adaptor hose and 16 and 22 mm cables without.

Features

Special features:

- Rugged unit for mobile use in building pipe systems
- The high traction and high speed motor is especially suited for cutting and milling tools.
- The stable and long-lasting cast aluminum frame and the aluminum covers protect the hermetically sealed electronics and the drive mechanism, so the components inside will remain clean for years.
- The clamping jaws outside allow a quick and simple tool replacement.

PRCD-S adaptor included (safety switch)

The safety switch (FI adaptor) detects fault currents and disconnects so fast that life threatening accidents are avoided (10 mA trigger current); may also be used as an extension for other equipment.

Technical data:

- **Pipe diameter:** from 30 - 200 mm
- **sectional cable:** 6 / 8 / 10 / 16 / 22 mm
- **cables / Working length:**
 - 22 mm spiral up to 70 m
 - 16 mm spiral up to 55 m
- **Motor power:** 750 W Input power
- **Voltage:** 230 V / 50 Hz
- **Speed:** 670 rpm, clockwise / anticlockwise rotation

page 1

- **Weight:** 24 kg
- **Dimensions (LxWxH):** 530 x 200 x 500 mm

RIS-22 Starter-Kit

- 1x drain cleaning machine RIS 22
- 1x PRCD-S adaptor
- 1x guide hose for RIS 22, 4.2 m
- 5x standard cable: Ø 22 mm, 4 m long, with core
- 5x standard cable: Ø 22 mm, 4 m long
- 2x cable cage for ø 22 mm cable
- 1x 4-blade cutter 45 for ø 22 mm cable
- 1x 4-blade cutter 65 for ø 22 mm cable
- 1x U-cutter 65 for ø 22 mm cable
- 1x straight auger for ø 22 mm cable
- 1x expander cutter 100 for ø 22 mm cable
- 1x chain knocker with 2 smooth chains for ø 22 mm cable
- 1x chain knocker with 2 cam chains for ø 22 mm cable
- 2x coupling pin keys ø 16/22/32 mm
- 1x drain cleaning mitt, left hand
- 1x drain cleaning mitt, right hand
- 1x toolbox

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14200151	RIS-22 drain cleaning machine	cable typ: 10 mm 16 mm 22 mm 6 mm 8 mm	530 × 200 × 500 mm 24.00
	14200152	RIS-22 Starter-Kit	cable typ: 10 mm 16 mm 22 mm 6 mm 8 mm	470 × 160 × 410 mm 56.00
	14200153	RIS-22 guide hose	length: 4.2 m	4200 × 80 × 80 mm 2.60
	14200144	PRCD-S adaptor		1000 × 80 × 80 mm 0.30