

RIS Power 22/16 drain cleaning machine

<https://ehle-hd.com/en/product/ris-32-drain-cleaning-machine-kopie/>



The **RIS Power 22/16 pillar machine** is recommended for cables with a diameter of 16 - 22 mm; combined with an adaptor magazine it is also suitable for 8 mm and 10 mm cables. This rugged universal unit was designed for mobile use to clear building drains of DN 25 - 200 mm. The unit features a high speed motor perfectly suited for cutting and milling operations.

Fields of application:

- The ideal tool for universal service, clears drain blockades
- in branches of sinks, toilets, outlet lines, floor drains, and roof drainages.

Features

- Rugged design with sturdy clamping lever and big footrests to ensure a safe stand and to protect the motor cover against damage.
- Big tool box included, no extra tool case required.
- The motor cover is watertight, thus the RIS Power 22/16 may be placed in the water up to marking 1.
- External quick-release clamping jaw system – replaceable in no time and without tools

PRCD-S adaptor included (safety switch)

The safety switch (FI adaptor) detects fault currents and disconnects so fast that life threatening accidents are avoided (10 mA trigger current); may also be used as an extension for other equipment.





Technical data:

- **Pipe diameter:** from 25 - 200 mm
- **sectional cable:** 8 / 10 / 16 / 22 mm
- **cables / Working length:** 32 mm spiral up to 70 m
- **Motor power:** 750 W Input power
- **Voltage:** 230 V / 50 Hz
- **Speed:** 670 rpm, clockwise / anticlockwise rotation
- **Weight:** 22.5 kg
- **Dimensions (LxWxH):** 500 x 250 x 475 mm

RIS-Power 22/16 Starter-Kit

- 1x drain cleaning machine RIS-Power 22/16
- 1x guide hose for RIS-Power 22/16, 4.2 m
- 1x PRCD-S Adaptor
- 5x standard cable: Ø 22 mm, 4 m long, with core
- 5x standard cable: Ø 22 mm, 4 m long
- 2x cable cage for ø 22 mm cable
- 1x 4-blade cutter 45 for ø 22 mm cable
- 1x 4-blade cutter 65 for ø 22 mm cable
- 1x U-cutter 65 for ø 22 mm cable
- 1x straight auger for ø 22 mm cable
- 1x expander cutter 100 for ø 22 mm cable
- 1x chain knocker with 2 smooth chains for ø 22 mm cable
- 1x chain knocker with 2 cam chains for ø 22 mm cable
- 2x coupling pin keys ø 16/22/32 mm
- 1x drain cleaning mitt, left hand
- 1x drain cleaning mitt, right hand
- 1x toolbox

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14200141	RIS-Power 22/16 drain cleaning machine	cable typ: 8 mm 10 mm 16 mm 22 mm	500 × 250 × 475 mm 22.50
	14200142	RIS-Power 22/16 Starter-Kit	cable typ: 8 mm 10 mm 16 mm 22 mm	500 × 250 × 475 mm 42.00
	14200143	RIS-Power 22/16 guide hose	length: 4.2 m	4200 × 80 × 80 mm 2.60
	14200144	PRCD-S adaptor		1000 × 80 × 80 mm 0.30