


## RMX200 - mobile cable reel

<https://ehle-hd.com/en/product/rmx200-mobile-cable-reel/>



The lightweight manual Rovion **RMX200 cable reel** from IPEK is particularly compact, portable and easy to use. The mobile cable reel holds a maximum of 200 m of highly stable camera cable and offers a winding aid so that the camera cable can be wound onto the cable reel cleanly and quickly. In addition, the VC500 mobile control panel can be attached to a mountable telescopic pole.

In combination with the optionally available trolley and the integrated battery pack. The Rovion inspection system becomes independent of external power supplies.

**Optionally available with full HD resolution and for the EX zone.**

### Features

- max. 200 m highly stable camera cable
- Folding hand crank for space-saving transportation
- the side of the hand crank can be changed
- Adjustable grinding brake
- winding aid with deflection pulley facilitates even winding of the cable
- with dirt scraper
- electronic meter counter
- E-box can be removed for certain applications
- Telescopic rod for the control panel holder

### Technical data





- product designation: RMX200 / RMX200 HD
- cable length: 200 meters
- protection class: IP54
- voltage: 230 V AC / 115 V AC
- frequency: 50 Hz / 60 Hz
- current: 2 A / 4 A
- ambient temperature range: 0°C to 40°C
- storage temperature range: 0°C to 40°C
- material: Aluminum
- dimensions (WxHxD): 315 x 495 x 680 mm

page 1



- weight: 30 kg

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	IP563-0900-02	RMX200 - Manual Cable Reel	<b>length:</b> 200 m <b>use:</b> crawler system <b>resolution:</b> SD	680 × 315 × 495 mm 30
	IP563-0900-71	RMX200 - Manual Cable Reel (ATEX)	<b>length:</b> 200 m <b>use:</b> ATEX-Zone 2 ATEX Zone 1 crawler system <b>resolution:</b> SD	680 × 315 × 495 mm 30
	IP563-3900-00	RMX200 HD - Manual Cable Reel	<b>length:</b> 200 m <b>use:</b> crawler system <b>resolution:</b> Full-HD	680 × 315 × 495 mm 30
	IP563-3900-70	RMX200 HD - Manual Cable Reel (ATEX)	<b>length:</b> 200 m <b>use:</b> ATEX-Zone 2 ATEX Zone 1 crawler system <b>resolution:</b> Full-HD	680 × 315 × 495 mm 30