

RMX200 HD - mobile cable reel

<https://ehle-hd.com/en/product/rmx200-mobile-cable-reel/>



The lightweight manual Rovion **RMX200 HD cable reel** from IPEK is particularly compact, portable and easy to use. The mobile cable reel holds a maximum of 200 m of highly stable camera cable and offers a winding aid so that the camera cable can be wound onto the cable reel cleanly and quickly. In addition, the VC500 mobile control panel can be attached to a mountable telescopic pole.

In combination with the optionally available trolley and the integrated battery pack. The Rovion inspection system becomes independent of external power supplies.

Optionally available with full HD resolution and for the EX zone.

Features

- max. 200 m highly stable camera cable
- Folding hand crank for space-saving transportation
- the side of the hand crank can be changed
- Adjustable grinding brake
- winding aid with deflection pulley facilitates even winding of the cable
- with dirt scraper
- electronic meter counter
- E-box can be removed for certain applications
- Telescopic rod for the control panel holder





Technical data

- product designation: RMX200 HD
- cable length: 200 meters
- protection class: IP54
- voltage: 230 V AC / 115 V AC
- frequency: 50 Hz / 60 Hz
- current: 2 A / 4 A
- ambient temperature range: 0°C to 40°C
- storage temperature range: 0°C to 40°C
- material: Aluminum
- dimensions (WxHxD): 315 x 495 x 680 mm

page 1

- weight: 30 kg

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	IP563-0900-02	RMX200 - Manual Cable Reel	length: 200 m use: crawler system resolution: SD	680 × 315 × 495 mm 30
	IP563-0900-71	RMX200 - Manual Cable Reel (ATEX)	length: 200 m use: ATEX Zone 1 ATEX-Zone 2 crawler system resolution: SD	680 × 315 × 495 mm 30
	IP563-3900-00	RMX200 HD - Manual Cable Reel	length: 200 m use: crawler system resolution: Full-HD	680 × 315 × 495 mm 30
	IP563-3900-70	RMX200 HD - Manual Cable Reel (ATEX)	length: 200 m use: ATEX Zone 1 ATEX-Zone 2 crawler system resolution: Full-HD	680 × 315 × 495 mm 30