

# SeeSnake rM200 Max

<https://ehle-hd.com/en/product/seesnake-rm200-max/>



The **SeeSnake rM200 Max inspection system** combines portability and flexibility of use to make your pipe inspection as easy and efficient as possible. Ideally suited for pipes up to 61 m in length and 38 mm to 203 mm in diameter. Features of the rM200 include a new push cable design with improved protection against wear and tear and interchangeable push cable drums with different push cable stiffnesses to handle any type of inspection.

The integrated TruSense® technology improves visibility inside the pipe with its HDR (High Dynamic Range) image sensor and the TiltSense™ inclinometer that provides support during difficult inspections. The system is easy to maneuver, offers more storage space and has a practical docking system for transporting SeeSnake monitors.

## Features

### Improved camera functionality

- TruSense technology with HDR sensor (High Dynamic Range)
- TiltSense inclinometer for razor-sharp, always upright images and feedback of the camera angle in the tube

### Interchangeability

- Easily interchangeable D2 drums for more flexibility in different applications
- Compatible with all SeeSnake monitors

### Thrust capability

- The reels offer different push cable lengths, diameters, stiffnesses and springs for customized applications.

### Mobility

- Multifunctional pull handle
- Smooth-running wheels for easy transportation and positioning

## Mobility

- New, larger storage container with greater capacity for storing work utensils



## Technical data

- Camera head: 25 mm, self-levelling with TruSense
- Push cable length: 61 m
- Cable diameter: 7.5 mm
- Application range in pipes: 38 - 203 mm
- Camera resolution: 640 x 480 pixels
- Illumination: 6 LEDs
- Locating transmitter: 512 Hz flexmitter
- Meter counter: yes
- Weight: 16.5 kg

## Scope of delivery - Complete set with CS6x Versa

- rM200A reel with 61 m push cable
- CS6x Versa monitor with recording function, Wifi and accessories
- CS6x VERSA bracket
- Storage container
- Shoulder carrying strap
- Guide balls (5)
- 18 V Li-ion battery
- Battery charger

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	R47163	rM200 with CS6x Versa monitor	<b>type:</b> complete set <b>work range:</b> 40 - 200 mm <b>length:</b> 60 m 61 m <b>locating:</b> 512 Hz	530 × 350 × 610 mm 18.00
	R70758	rM200 only reel	<b>work range:</b> 40 - 200 mm <b>length:</b> 60 m <b>locating:</b> 512 Hz	530 × 350 × 610 mm 15.40