

smooth chain knockers

<https://ehle-hd.com/en/product/smooth-chain-knockers/>



The **chain knockers with smooth chains** are made of hardened steel, compared to chain knockers in simple version these professional tools have less wear and tear, which means more cleaning power. The smooth chains are ideal for cast iron and plastic pipes, the spiked chains are designed for stoneware and concrete pipes.

Chain knockers are an indispensable tool for every end pipe cleaning in pipes. When working, the centrifugal forces cause the chains to lie against the pipe wall and remove deposits quickly and effectively.








On request we also offer the chain knockers in a version with T-coupling female / male.

Features

- consist of hardened steel for a long servicelife
- especially suitable for cast iron and plastic pipes
- chain knockers with 1 or 2 chains are suitable for bends
- exchangeable chains

The chains are welded to the head and coupling and can be completely replaced (re-welded), but also individual chain links can be replaced.

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216150	Chain knocker KS16 - 1 smooth chain	cable typ: 16 mm work range: 50 - 70 mm	150 × 65 × 16 mm 0.2
	14216151	Chain knocker KS16 - 2 smooth chains	cable typ: 16 mm work range: 50 - 100 mm	150 × 130 × 16 mm 0.3
	14216152	Chain knocker KS16 - 3 smooth chains	cable typ: 16 mm work range: 70 - 125 mm	150 × 130 × 25 mm 0.35
	14216153	Chain knocker KS16 - 4 smooth chains	cable typ: 16 mm work range: 70 - 150 mm	150 × 130 × 30 mm 0.40
	14222220	Chain knocker KS22 - 1 smooth chain	cable typ: 22 mm work range: 70 - 100 mm	225 × 120 × 22 mm 0.50
	14222221	Chain knocker KS22 - 2 smooth chains	cable typ: 22 mm work range: 70 - 125 mm	225 × 230 × 22 mm 0.76
	14222222	Chain knocker KS22 - 3 smooth chains	cable typ: 22 mm work range: 100 - 150 mm	225 × 230 × 40 mm 0.95



14222223

Chain knocker KS22 - 4 smooth chains

cable typ: 22 mm
 work range: 100 - 200 mm

225 × 230 × 60 mm
1.20



14232215

Chain knocker KS32 - 1 smooth chain

cable typ: 32 mm
 work range: 75 - 125 mm

190 × 120 × 32 mm
0.70



14232216

Chain knocker KS32 - 2 smooth chains

cable typ: 32 mm
 work range: 75 - 150 mm

190 × 220 × 32 mm
1.00



14232217

Chain knocker KS32 - 3 smooth chains

cable typ: 32 mm
 work range: 100 - 200 mm

190 × 220 × 53 mm
1.20



14232218

Chain knocker KS32 - 4 smooth chains

cable typ: 32 mm
 work range: 100 - 250 mm

190 × 220 × 65 mm
1.40