

## Spade Cutter sawtooth / smooth

<https://ehle-hd.com/en/product/spade-cutter/>










The **Spade cutter** is mainly used for peeling open greased, encrusted or heavily silted up drains. The tough, high-strength augering blades are made of tempered spring steel and riveted to the couplings. Deformations or fractures, which may occur with soldered or welded cross-blades, are excluded with our riveted tools.









### Features

#### Special features

- to use by hard deposits, incrustation, kitchen waste, sludge, urine scale, soft deposits
- durable and robust tool made of hardened spring steel

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216090	Spade Cutter 25/16 sawtooth	<b>cabble typ:</b> 16 mm <b>work range:</b> 38 - 50 mm	35 × 25 × 19 mm 0.04
	14216091	Spade Cutter 35/16 sawtooth	<b>cabble typ:</b> 16 mm <b>work range:</b> 50 - 75 mm	35 × 35 × 45 mm 0.05
	14216092	Spade Cutter 45/16 sawtooth	<b>cabble typ:</b> 16 mm <b>work range:</b> 60 - 100 mm	55 × 45 × 19 mm 0.06
	14216093	Spade Cutter 55/16 smooth	<b>cabble typ:</b> 16 mm <b>work range:</b> 75 - 125 mm	65 × 55 × 19 mm 0.07
	14222170	Spade Cutter 45/22 sawtooth	<b>cabble typ:</b> 22 mm <b>work range:</b> 50 - 100 mm	55 × 45 × 25 mm 0.08
	14222171	Spade Cutter 55/22 sawtooth	<b>cabble typ:</b> 22 mm <b>work range:</b> 60 - 100 mm	55 × 55 × 65 mm 0.09
	14222175	Spade Cutter 55/22 smooth	<b>cabble typ:</b> 22 mm <b>work range:</b> 65 - 125 mm	65 × 55 × 25 mm 0.09

	<p>14222176</p>	<p>Spade Cutter 65/22 smooth</p>	<p><b>cablE typ:</b> 22 mm <b>work range:</b> 75 - 125 mm</p>	<p>75 × 65 × 25 mm 0.10</p>
	<p>14222177</p>	<p>Spade Cutter 80/22 smooth</p>	<p><b>cablE typ:</b> 22 mm <b>work range:</b> 100 - 150 mm</p>	<p>95 × 80 × 25 mm 0.12</p>
	<p>14222178</p>	<p>Spade Cutter 90/22 smooth</p>	<p><b>cablE typ:</b> 22 mm <b>work range:</b> 125 - 170 mm</p>	<p>105 × 90 × 25 mm 0.13</p>
	<p>14232160</p>	<p>Spade Cutter 35/32 sawtooth</p>	<p><b>cablE typ:</b> 32 mm <b>work range:</b> 50 - 100 mm</p>	<p>35 × 35 × 45 mm 0.15</p>
	<p>14232161</p>	<p>Spade Cutter 45/32 sawtooth</p>	<p><b>cablE typ:</b> 32 mm <b>work range:</b> 75 - 100 mm</p>	<p>55 × 45 × 35 mm 0.16</p>
	<p>14232162</p>	<p>Spade Cutter 55/32 smooth</p>	<p><b>cablE typ:</b> 32 mm <b>work range:</b> 75 - 125 mm</p>	<p>65 × 55 × 35 mm 0.17</p>
	<p>14232163</p>	<p>Spade Cutter 65/32 smooth</p>	<p><b>cablE typ:</b> 32 mm <b>work range:</b> 100 - 150 mm</p>	<p>65 × 65 × 75 mm 0.18</p>
	<p>14232164</p>	<p>Spade Cutter 80/32 smooth</p>	<p><b>cablE typ:</b> 32 mm <b>work range:</b> 100 - 170 mm</p>	<p>95 × 80 × 35 mm 0.20</p>

14232165

Spade Cutter 90/32 smooth

**cable typ:** 32 mm  
**work range:** 125 - 200 mm

105 × 90 × 35 mm  
0.21

