

spiked chain knockers - short version

<https://ehle-hd.com/en/product/spiked-chain-knockers-short-version/>



The **short version of the chain knocker with smooth chain** is the better choice for bends compared to the large version and ideal for stoneware and concrete pipes, they remove light roots and incrustations (even dry slabs). They are also made of hardened steel, which makes the professional tool wear less quickly.

Chain knockers are an indispensable tool for every end pipe cleaning in pipes. When working, the centrifugal forces cause the chains to lie against the pipe wall and remove deposits quickly and effectively.


On request we also offer the chain knockers with T-coupling female / male.

Features

- consist of hardened steel for a long servicelife
- especially suitable for stoneware and concrete pipes
- ideal for bends
- exchangeable chains

The chains are welded to the head and coupling and can be completely replaced (re-welded), but also individual chain links can be replaced.

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216130	Chain knocker KS16 short - 1 spiked chain	cable typ: 16 mm work range: 50 - 70 mm	100 × 65 × 16 mm 0.15
	14216131	Chain knocker KS16 short - 2 spiked chains	cable typ: 16 mm work range: 50 - 100 mm	100 × 120 × 16 mm 0.18
	14216132	Chain knocker KS16 short - 3 spiked chains	cable typ: 16 mm work range: 70 - 125 mm	100 × 120 × 25 mm 0.20
	14216133	Chain knocker KS16 short - 4 spiked chains	cable typ: 16 mm work range: 70 - 150 mm	100 × 120 × 40 mm 0.24
	14222206	Chain knocker KS22 short - 1 spiked chains	cable typ: 22 mm work range: 70 - 100 mm	120 × 120 × 22 mm 0.40
	14222207	Chain knocker KS22 short - 2 spiked chains	cable typ: 22 mm work range: 70 - 125 mm	120 × 220 × 22 mm 0.45
	14222208	Chain knocker KS22 short - 3 spiked chains	cable typ: 22 mm work range: 100 - 150 mm	120 × 220 × 40 mm 0.45

	14222209	Chain knocker KS22 short - 4 spiked chains	cable typ: 22 mm work range: 100 - 200 mm	120 × 220 × 60 mm 0.50
	14232205	Chain knocker KS32 short - 1 spiked chain	cable typ: 32 mm work range: 75 - 125 mm	120 × 120 × 32 mm 0.40
	14232206	Chain knocker KS32 short - 2 spiked chains	cable typ: 32 mm work range: 75 - 150 mm	120 × 220 × 32 mm 0.50
	14232207	Chain knocker KS32 short - 3 spiked chains	cable typ: 32 mm work range: 100 - 200 mm	120 × 220 × 45 mm 0.55
	14232208	Chain knocker KS32 short - 4 spiked chains	cable typ: 32 mm work range: 100 - 250 mm	120 × 220 × 60 mm 0.60