

spiked chain knockers

<https://ehle-hd.com/en/product/spiked-chain-knockers/>



The **chain knockers with spiked chain** are ideal for stoneware and concrete pipes, they remove light roots and incrustations (even dry slabs). They are made of hardened steel, compared to chain knockers in simple version these professional tools have less wear and tear, which means more cleaning power. We recommend the use of smooth chains for cast iron and plastic pipes.

Chain knockers are an indispensable tool for every end pipe cleaning in pipes. When working, the centrifugal forces cause the chains to lie against the pipe wall and remove deposits quickly and effectively.

On request we also offer the chain knockers with T-coupling female / male.






Features

- consist of hardened steel for a long servicelife
- especially suitable for stoneware and concrete pipes
- chain knockers with 1 or 2 chains are suitable for bends
- exchangeable chains

The chains are welded to the head and coupling and can be completely replaced (re-welded), but also individual chain links can be replaced.

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216120	Chain knocker KS16 - 1 spiked chain	cable typ: 16 mm work range: 50 - 70 mm	150 × 65 × 16 mm 0.2
	14216121	Chain knocker KS16 - 2 spiked chains	cable typ: 16 mm work range: 50 - 100 mm	150 × 130 × 16 mm 0.3
	14216122	Chain knocker KS16 - 3 spiked chains	cable typ: 16 mm work range: 70 - 125 mm	150 × 130 × 25 mm 0.35
	14216123	Chain knocker KS16 - 4 spiked chains	cable typ: 16 mm work range: 70 - 150 mm	150 × 130 × 30 mm 0.40
	14222201	Chain knocker KS22 - 1 spiked chain	cable typ: 22 mm work range: 70 - 100 mm	225 × 120 × 22 mm 0.50
	14222202	Chain knocker KS22 - 2 spiked chains	cable typ: 22 mm work range: 70 - 125 mm	225 × 230 × 22 mm 0.76
	14222203	Chain knocker KS22 - 3 spiked chains	cable typ: 22 mm work range: 100 - 150 mm	225 × 230 × 40 mm 0.95

	14222204	Chain knocker KS22 - 4 spiked chains	cable typ: 22 mm work range: 100 - 200 mm	225 × 230 × 60 mm 1.20
	14232201	Chain knocker KS32 - 1 spiked chain	cable typ: 32 mm work range: 75 - 125 mm	190 × 120 × 32 mm 0.70
	14232202	Chain knocker KS32 - 2 spiked chains	cable typ: 32 mm work range: 75 - 150 mm	190 × 220 × 32 mm 1.00
	14232203	Chain knocker KS32 - 3 spiked chains	cable typ: 32 mm work range: 100 - 200 mm	190 × 220 × 53 mm 1.20
	14232204	Chain knocker KS32 - 4 spiked chains	cable typ: 32 mm work range: 100 - 250 mm	190 × 220 × 65 mm 1.40