

stainless steel pipe plugs

<https://ehle-hd.com/en/product/stainless-steel-pipe-plugs/>



The **mechanical pipe plugs** made of stainless steel with a silicone rubber seal are used to shut off small pipe diameters - ideal for heating and sanitary applications.








With the silicone seal, the pipe plugs are also suitable for special applications in the food industry and the like.


Features

- robust, long-life V2A design for shutting off pipelines from DN 12 to DN 100 mm for the heating and sanitary sector as well as for plant construction
- Silicone gasket also suitable for special applications in the food industry
- flame retardant and particularly temperature resistant from -70°C - 250°C
- **max. 8.0 bar (116 psi) back pressure**

Attention: from 1 bar back pressure the plugs must be secured against being pushed out.

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	2000125	stainless steel pipe plug - Ø12	clamping range: 11.8-12.5 mm	60 × 12 × 12 mm 0.04
	2000126	stainless steel pipe plug - Ø16	clamping range: 15.6-16.4 mm	60 × 16 × 16 mm 0.05
	2000121	stainless steel pipe plug - Ø20	clamping range: 18.5-25 mm	60 × 20 × 20 mm 0.06
	2000127	stainless steel pipe plug - Ø25	clamping range: 23.5-29 mm	70 × 25 × 25 mm 0.07
	2000122	stainless steel pipe plug - Ø30	clamping range: 28.5-35 mm	70 × 30 × 30 mm 0.08
	2000128	stainless steel pipe plug - Ø35	clamping range: 33.5-40 mm	70 × 35 × 35 mm 0.09
	2000129	stainless steel pipe plug - Ø40	clamping range: 38.5-45 mm	80 × 39 × 39 mm 0.12

	2000123	stainless steel pipe plug - Ø45	clamping range: 43-50 mm	80 × 43 × 43 mm 0.13
	2000130	stainless steel pipe plug - Ø50	clamping range: 48-55 mm	80 × 48 × 48 mm 0.16
	2000131	stainless steel pipe plug - Ø55	clamping range: 53-60 mm	80 × 53 × 53 mm 0.18
	2000133	stainless steel pipe plug - Ø60	clamping range: 58-66 mm	80 × 58 × 58 mm 0.20
	2000135	stainless steel pipe plug - Ø65	clamping range: 63-71 mm	80 × 53 × 53 mm 0.22
	2000137	stainless steel pipe plug - Ø70	clamping range: 68-76 mm	80 × 68 × 68 mm 0.26
	2000139	stainless steel pipe plug - Ø80	clamping range: 77-88 mm	100 × 77 × 77 mm 0.35
	2000141	stainless steel pipe plug - Ø90	clamping range: 88-99 mm	100 × 88 × 88 mm 0.45