

Support for pipe stopper

<https://ehle-hd.com/en/product/support-for-pipe-stopper/>









Our **supports** are a simple but safe solution to ensure that pipe plugs and pipe inspection units cannot be pushed out. Contrary to the conventional timberwork, whose installation is expensive and time consuming, they can be used quickly and as often as required. Thanks to the special rubber coatings, even slippery or smooth pipe walls do not prevent a reliable support.

Features

- Simple and reliable fixation of pipe plugs and pipe inspection units
- Stepless adjustment of the units according to the sewer application range
- The special rubber coatings have a very high adhesion and withstand extreme backpressure without damage of the pipe wall
- Additional telescopic struts (extensible to 1,270 mm) are available for larger dimensions, they ensure a higher load capacity of sewer tubes with diameters of 300 mm and above

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	2001380	Support type 10/15	work range: 100 - 150 mm	350 × 50 × 75 mm 2.50
	2001381	Support type 20/25	work range: 200 - 250 mm	400 × 50 × 90 mm 3.00
	2001382	Support type 30/40	work range: 300 - 400 mm	780 × 90 × 280 mm 13.0
	2001383	Support type 40/60	work range: 400 - 600 mm	900 × 100 × 370 mm 14.0
	2001384	Support type 60/100	work range: 600 - 1000 mm	1050 × 120 × 570 mm 25.0
	2001385	Support type 80/120	work range: 800 - 1200 mm	1250 × 120 × 570 mm 28.0
	2001386	Additional strut 10/15	work range: 300 - 600 mm	830 × 230 × 230 mm 13.0

2001387

Additional strut 60/100

work range: 600 - 1000 mm

830 x 230 x 230 mm
14.0

