

Tiger drill chains with carbide

<https://ehle-hd.com/en/product/tiger-drill-chains-carbide/>

The **Tiger drill chains** from Picote with integrated front drill head featuring durable carbide tips for cutting through roots and collapsed liners.



Features

- Used for high-speed drain cleaning, removing blockages, descaling and roots.
- the drill head with extra-hard carbide tips allows easy drilling through roots or collapsed liners.
- chains with extra-hard carbide or hard metal tips
- for cleaning stoneware, concrete and cast iron pipes

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	P1380084050VP	Tiger drill chain with carbide 50/8	shaft typ: 8 mm work range: DN 50	70 × 20 × 20 mm 0.50
	P1380084070VP	Tiger drill chain with carbide 70/8	shaft typ: 8 mm work range: DN 70	90 × 20 × 20 mm 0.60
	P1380084100VP	Tiger drill chain with carbide 100/8	shaft typ: 8 mm work range: DN 100	130 × 40 × 40 mm 0.70
	P1380105050VP	Tiger drill chain with carbide 50/10	shaft typ: 10 mm work range: DN 50	70 × 20 × 20 mm 0.50
	P1380105070VP	Tiger drill chain with carbide 70/10	shaft typ: 10 mm work range: DN 70	90 × 40 × 40 mm 0.60
	P1380105100VP	Tiger drill chain with carbide 100/10	shaft typ: 10 mm work range: DN 100	130 × 40 × 40 mm 0.70
	P1380105150VP	Tiger drill chain with carbide 150/10	shaft typ: 10 mm work range: DN 125 - 150	170 × 40 × 40 mm 0.80

	P1380105200VP	Tiger drill chain with carbide 200/10	shaft typ: 10 mm work range: DN 200	170 × 40 × 40 mm 1.00
	P1380125070VP	Tiger drill chain with carbide 70/12	shaft typ: 12 mm work range: DN 70	90 × 40 × 40 mm 0.60
	P1380125100VP	Tiger drill chain with carbide 100/12	shaft typ: 12 mm work range: DN 100	130 × 40 × 40 mm 0.70
	P1380125150VP	Tiger drill chain with carbide 150/12	shaft typ: 12 mm work range: DN 125 - 150	170 × 40 × 40 mm 0.80
	P1380125200VP	Tiger drill chain with carbide 200/12	shaft typ: 12 mm work range: DN 200	250 × 40 × 40 mm 1.20
	P1380125250VP	Tiger drill chain with carbide 250/12	shaft typ: 12 mm work range: DN 225-250	250 × 40 × 40 mm 1.40