


U-Cutter sawtooth / smooth

<https://ehle-hd.com/en/product/u-cutter-sawtooth-smooth/>



The **U-cutter** is a pipe cleaning tool for abrasion and cutting in pipes. Due to its shape, it is particularly suitable for removing deposits from pipe walls, especially viscous greases and all kinds of sludge. Of course, it also cuts cellulose and similar materials. In this way, pipe blockages, which primarily affect the walls of the pipes, can be removed very quickly.

two versions available








The **U-cutters (smooth)** for 16 mm cables with 2 or 4 edges of tempered spring steel are applied for slight and heavy sludge deposits or difficult grease blockades.


The **U-cutters (sawtooth)** for 22 and 32 mm cables with two serrations of high quality steel are used for removal of roots inside drains.

Features

- for cutting on the pipe wall
- use with deposits and incrustation
- can also be used for light roots

Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14216080	U-cutter 30/16 smooth	able typ: 16 mm work range: 40 - 75 mm	40 × 30 × 20 mm 0.02
	14216081	Double U-cutter 40/16 smooth	able typ: 16 mm work range: 50 - 75 mm	40 × 40 × 40 mm 0.03
	14222160	U-Cutter 65/22 sawtooth	able typ: 22 mm work range: 100 - 150 mm	100 × 65 × 30 mm 0.24
	14222161	U-Cutter 90/22 sawtooth	able typ: 22 mm work range: 120 - 170 mm	100 × 90 × 30 mm 0.26
	14222163	U-Cutter 150/22 sawtooth	able typ: 22 mm work range: 170 - 250 mm	100 × 150 × 30 mm 0.32
	14232150	U-Cutter 65/32 sawtooth	able typ: 32 mm work range: 100 - 150 mm	100 × 65 × 38 mm 0.36
	14232151	U-Cutter 90/32 sawtooth	able typ: 32 mm work range: 120 - 170 mm	100 × 90 × 38 mm 0.38




14232152

U-Cutter 125/32 sawtooth

cable typ: 32 mm
work range: 140 - 200 mm

100 × 125 × 38 mm
0.40



14232153

U-Cutter 150/32 sawtooth

cable typ: 32 mm
work range: 170 - 250 mm

100 × 150 × 38 mm
0.42