

## Wire wheel brushes

<https://ehle-hd.com/en/product/wire-wheel-brushes/>



The **Wire wheel brushes** are used for cleaning steel, cast iron, stoneware and plastic pipes as well as for preparation for renovation. The wire contacts the pipe wall and brushes it free. This effectively removes adhering grease residues and incrustations, as well as fine root networks and sludge. The brush tool completes the professional pipe cleaning in an optimal way.

The male / female connector enables the coupling of several wheel brushes one behind the other. These enable an optimised cleaning and roughening performance.

### Features

- suitable for cleaning steel, cast iron, stoneware and plastic pipes
- available only with female connector or as female / male version
- Brushes can be combined to form a long strand

### application notes

If the pipe is blocked, the blockage must first be removed with a suitable tool. The brush tool is then used. When withdrawing the brush tool after cleaning, always rinse with (warm) water in order to clean the tool and drain pipe. For a long service life of the brush tool, it is then dried and sprayed with spiral cleaning agent or rust protection.

**Other dimensions or holders for 16 mm spirals on request.**

## Attributes

Image	SKU	Productname	Attributes	LxWxH & Weight
	14222550	Wire wheel brushes 90/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 90 mm	50 × 90 × 90 mm 0.28
	14222551	Wire wheel brushes 100/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 100 mm	50 × 100 × 100 mm 0.30
	14222552	Wire wheel brushes 115/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 115 mm	50 × 115 × 115 mm 0.32
	14222553	Wire wheel brushes 125/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 125 mm	50 × 125 × 125 mm 0.35
	14222554	Wire wheel brushes 150/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 150 mm	50 × 150 × 150 mm 0.40
	14222555	Wire wheel brushes 200/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 200 mm	50 × 200 × 200 mm 0.50
	14222556	Wire wheel brushes 250/22-f	<b>cable typ:</b> 22 mm <b>connection:</b> female <b>work range:</b> from 250 mm	50 × 200 × 200 mm 0.60

	14222560	Wire wheel brushes 90/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 90 mm	80 × 90 × 90 mm 0.28
	14222561	Wire wheel brushes 100/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 100 mm	80 × 100 × 100 mm 0.35
	14222562	Wire wheel brushes 115/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 115 mm	80 × 115 × 115 mm 0.38
	14222563	Wire wheel brushes 125/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 125 mm	80 × 125 × 125 mm 0.42
	14222564	Wire wheel brushes 150/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 150 mm	80 × 150 × 150 mm 0.46
	14222565	Wire wheel brushes 200/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 200 mm	80 × 200 × 200 mm 0.52
	14222566	Wire wheel brushes 250/22-fm	<b>cable typ:</b> 22 mm <b>connection:</b> male / female <b>work range:</b> from 250 mm	80 × 200 × 200 mm 0.60